



REPORTING: CDS NORMS		
FIN 000 0000	FIN 000 0000	FIN 000 0000
FIN 000 0000	FIN 000 0000	FIN 000 0000
FIN 000 0000	FIN 000 0000	FIN 000 0000
FIN 000 0000	FIN 000 0000	FIN 000 0000

1	NAME: TUCKER, JAMES	PCN119430500
2	DOB: 08/24/1952	
3	DOB: 08/24/1952	PCN119430500
4	DOB: 08/24/1952	
5	DOB: 08/24/1952	PCN200501000
6	DOB: 08/24/1952	
7	DOB: 08/24/1952	PCN200501000
8	DOB: 08/24/1952	
9	DOB: 08/24/1952	PCN200501000
10	DOB: 08/24/1952	
11	DOB: 08/24/1952	PCN200501000
12	DOB: 08/24/1952	
13	DOB: 08/24/1952	PCN200501000
14	DOB: 08/24/1952	
15	DOB: 08/24/1952	PCN200501000
16	DOB: 08/24/1952	
17	DOB: 08/24/1952	PCN200501000
18	DOB: 08/24/1952	
19	DOB: 08/24/1952	PCN200501000
20	DOB: 08/24/1952	
21	DOB: 08/24/1952	PCN200501000
22	DOB: 08/24/1952	
23	DOB: 08/24/1952	PCN200501000
24	DOB: 08/24/1952	
25	DOB: 08/24/1952	PCN200501000
26	DOB: 08/24/1952	
27	DOB: 08/24/1952	PCN200501000
28	DOB: 08/24/1952	
29	DOB: 08/24/1952	PCN200501000
30	DOB: 08/24/1952	
31	DOB: 08/24/1952	PCN200501000
32	DOB: 08/24/1952	
33	DOB: 08/24/1952	PCN200501000
34	DOB: 08/24/1952	
35	DOB: 08/24/1952	PCN200501000
36	DOB: 08/24/1952	
37	DOB: 08/24/1952	PCN200501000
38	DOB: 08/24/1952	
39	DOB: 08/24/1952	PCN200501000
40	DOB: 08/24/1952	
41	DOB: 08/24/1952	PCN200501000
42	DOB: 08/24/1952	
43	DOB: 08/24/1952	PCN200501000
44	DOB: 08/24/1952	
45	DOB: 08/24/1952	PCN200501000
46	DOB: 08/24/1952	
47	DOB: 08/24/1952	PCN200501000
48	DOB: 08/24/1952	
49	DOB: 08/24/1952	PCN200501000
50	DOB: 08/24/1952	
51	DOB: 08/24/1952	PCN200501000
52	DOB: 08/24/1952	
53	DOB: 08/24/1952	PCN200501000
54	DOB: 08/24/1952	
55	DOB: 08/24/1952	PCN200501000
56	DOB: 08/24/1952	
57	DOB: 08/24/1952	PCN200501000
58	DOB: 08/24/1952	
59	DOB: 08/24/1952	PCN200501000
60	DOB: 08/24/1952	
61	DOB: 08/24/1952	PCN200501000
62	DOB: 08/24/1952	
63	DOB: 08/24/1952	PCN200501000
64	DOB: 08/24/1952	
65	DOB: 08/24/1952	PCN200501000
66	DOB: 08/24/1952	
67	DOB: 08/24/1952	PCN200501000
68	DOB: 08/24/1952	
69	DOB: 08/24/1952	PCN200501000
70	DOB: 08/24/1952	
71	DOB: 08/24/1952	PCN200501000
72	DOB: 08/24/1952	
73	DOB: 08/24/1952	PCN200501000
74	DOB: 08/24/1952	
75	DOB: 08/24/1952	PCN200501000
76	DOB: 08/24/1952	
77	DOB: 08/24/1952	PCN200501000
78	DOB: 08/24/1952	
79	DOB: 08/24/1952	PCN200501000
80	DOB: 08/24/1952	
81	DOB: 08/24/1952	PCN200501000
82	DOB: 08/24/1952	
83	DOB: 08/24/1952	PCN200501000
84	DOB: 08/24/1952	
85	DOB: 08/24/1952	PCN200501000
86	DOB: 08/24/1952	
87	DOB: 08/24/1952	PCN200501000
88	DOB: 08/24/1952	
89	DOB: 08/24/1952	PCN200501000
90	DOB: 08/24/1952	
91	DOB: 08/24/1952	PCN200501000
92	DOB: 08/24/1952	
93	DOB: 08/24/1952	PCN200501000
94	DOB: 08/24/1952	
95	DOB: 08/24/1952	PCN200501000
96	DOB: 08/24/1952	
97	DOB: 08/24/1952	PCN200501000
98	DOB: 08/24/1952	
99	DOB: 08/24/1952	PCN200501000
100	DOB: 08/24/1952	

PCN119430500

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

PCN200501000

